

2015 Walk for Israel Float Application Form

*Applications must be received by May 4, 2015
Please fill out electronically and email (preferred), or
Print form, fill out, and mail to contact information below*

Date of Application: _____

Name of Family, Group, School or Business: _____

Contact Person's Information

Name: _____

Address: _____

Home or Work Phone: _____

Cell Phone: _____

Email: _____

Please describe the design idea for your float:

***All floats must be approved by the Walk for Israel Float Committee to participate in the Walk.
See Walk for Israel Floats Rules and Regulations for important dates, process information,
float size & weight specifications, and the oversight role of the WFI Float Committee.***

Please submit your application to:

Andre Douville

andre@walkforisrael.org

3999 Walnut Lake Road

West Bloomfield, Michigan 48323

248-737-8700

Walk for Israel Float Rules & Regulations

1. Application for submission must be received no later than **May 4th**. Entrant shall notify Andre Douville at andre@walkforisrael.org or 248-737-8700 to start the process.
2. Walk for Israel (WFI) will purchase the float cart base for the entrant, and assemble and deliver to the entrant. See picture of the approved cart on Page 3. The cost for the cart is \$75.
3. Entrant shall pay Walk for Israel for the purchase of the cart **no later than May 11th**. The cart shall become the property of the entrant after the Walk.
4. If needed, download the cart manual here: <http://manuals.harborfreight.com/manuals/38000-38999/38137.PDF>.
5. The float cannot be motorized in any way (gas or electric, etc.).
6. If a person or group is entering a float and that person or that group is under the age of 14, then a person over the age of 14 must accompany the float while on the premises of Temple Shir Shalom and during the Walk at all times.
7. The width of the float shall not exceed 48 inches and the length of the float shall not exceed 72 inches.
8. The height of the float shall not exceed 60 inches (from the base of the platform). Flags, balloons and other flexible extensions may exceed that height by an additional 24 inches.
9. Only one individual may be allowed to "ride" on the float. Appropriate support and safety measures must be in place for that individual and the WFI Float Committee will determine if said design is appropriate to support that individual.
10. The overall weight of the float shall not exceed 300 pounds, including the weight of the one individual rider.
11. The theme for the Walk for Israel floats is "**Supporting Israel**". As examples, a float could identify one or more of Israel's contributions to the world, point out Israel's democratic multicultural society, highlight one of Israel's historical sites, or say something positive about the Israeli people.
12. There shall not be any foul language, derogatory messages, inappropriate or offensive graphics or pictures, indecent language, offensive remarks, language, messages, statements, slogans, etc. on any part of the float.
13. The float shall not contain or use fireworks, explosives, or open flames. The materials for floats should be non-combustible or fire retardant treated. Smoking is prohibited on or near any of the floats
14. The WFI Israel Float Committee has resources available to consult on the design, construction, layout and decoration of your float. For more information, please contact Andre Douville at andre@walkforisrael.org or 248-737-8700.
15. Decorated carts need to be delivered to Temple Shir Shalom by the entrant by **10:00am** on Sunday, May 17th.

The WFI Float Chair must be contacted **prior to construction (before Friday May 16th)** to review all float designs and concepts and determine if said float is appropriate and permissible for the Walk for Israel. The WFI Float Committee reserves the right to deny any float entry for any violation of any of the above rules and regulations. The decision of the WFI Float Committee is final. Contact Andre Douville at andre@walkforisrael.org or 248-737-8700.

Approved Walk For Israel Float Cart

Cart base is 2ft. x 4ft.

If you attach plywood to extend the base, the maximum dimensions are 4ft. x 5ft.

